

E0 224: Computational Complexity Theory
Indian Institute of Science
Assignment 1

Due date: Sep 16, 2023

Total marks: 50

1. (10 marks)

(a) (4 marks) Let QUADEQ be the language of all satisfiable sets of quadratic equations over 0/1 variables (a quadratic equation over u_1, \dots, u_n has the form $\sum_{i,j \in [n]} a_{i,j} u_i u_j + \sum_{i \in [n]} a_i u_i = b$) where addition is modulo 2. Show that QUADEQ is NP-complete.

(b) (6 marks) Design a deterministic polynomial-time algorithm to solve the 2SAT problem (i.e., when every clause of the input CNF formula has at most 2 literals).

2. (7 marks) In the SUBSET SUM problem, we are given a list of numbers a_1, \dots, a_n and a number T and need to decide whether there exists a subset $S \subseteq [n]$ such that $\sum_{i \in S} a_i = T$. Prove that SUBSET SUM is NP-complete.

3. (6 marks) Let $f : \mathbb{Z} \rightarrow \mathbb{Z}$ be a bijection that maps n -bit integers to n -bit integers. Such a f is a *one-way function* if f is polynomial-time computable, but f^{-1} is not. Show that if f is a one-way function, then the language $L_f := \{(x, y) : f^{-1}(x) < y\} \in \text{NP} \cap \text{co-NP}$, but L_f is not in P.

4. (6 marks) Consider the following variant of the graph isomorphism problem: given two graphs $H = (U, F)$ and $G = (V, E)$ (not necessarily having the same number of vertices), check if there is a one-to-one map (i.e., an injection) $\phi : U \rightarrow V$ such that $(u_1, u_2) \in F$ if and only if $(\phi(u_1), \phi(u_2)) \in E$. Prove that this variant of the graph isomorphism problem is NP-complete.

5. (9 marks) Prove that there exists a language B such that $\text{NP}^B \neq \text{co-NP}^B$.

6. (12 points) Two languages $L_1, L_2 \subseteq \{0, 1\}^*$ are said to be *p-isomorphic* if there is a bijection $f : \{0, 1\}^* \rightarrow \{0, 1\}^*$ such that $x \in L_1 \iff f(x) \in L_2$ and f and f^{-1} are polynomial-time computable. A language L is *sparse* if there exists a constant c such that for every integer $n \geq 1$, the number of strings of length n belonging to L is bounded by n^c .

(a) (4 points) Show that if NP-complete languages are p-isomorphic to each other, then $\text{P} \neq \text{NP}$.

(b) (8 points) Show that if a sparse language is NP-complete, then $\text{P} = \text{NP}$.