

Visibly Pushdown Automata

Deepak D'Souza

Department of Computer Science and Automation
Indian Institute of Science, Bangalore.

10 November 2016

Outline

- 1 Visibly Pushdown Automata
- 2 Closure properties of VPL
- 3 Determinization

Visibly Pushdown Automata

- A sub-class of Pushdown Automata (PDA's) in which pushing/popping from the stack is dictated by input letters.
- Useful properties for verification
 - Closed under operations like union, intersection, complementation, concatenation, Kleene- $*$.
 - Decidable language inclusion and universality problems.

Example VPA

Example VPA for
 $\{a^n b^n \mid n \geq 0\}$

$$\Sigma_c = \{a\}$$

$$\Sigma_r = \{b\}$$

$$\Sigma_{int} = \emptyset$$

$$(s, a, p, \perp)$$

$$(p, a, p, A)$$


$$(p, b, A, q)$$

$$(q, b, A, q)$$

$$(q, b, \perp, t)$$

$$F = \{s, t\}.$$

State Diagram of VPA



Definitions

A VPA over a partitioned alphabet $\tilde{\Sigma} = (\Sigma_c, \Sigma_r, \Sigma_{int})$ is a structure $M = (Q, Q_0, \Gamma, \perp, \delta, F)$ where Q is a finite set of states, Q_0 is a set of initial states, Γ is a stack alphabet with $\perp \in \Gamma$, F is a set of final states, and δ is the transition relation of the form:

- (p, a, q, A) if $a \in \Sigma_c$ (push transition)
- (p, a, A, q) if $a \in \Sigma_r$ (pop transition)
- (p, a, q) if $a \in \Sigma_{int}$ (internal transition).


Restrictions:

- \perp is never pushed on the stack
- Pop transitions can read \perp from the stack but must leave it in place.
- No epsilon transitions


Run of M on a word $w = a_1 a_2 \dots a_n$.

Class of languages accepted by VPA's are called **Visibly Pushdown Languages (VPL)**.

Closure Properties of VPL




Closure Properties of VPL




	Closed?
Union	✓
Intersection	

Closure Properties of VPL




	Closed?
Union	✓
Intersection	✓
Concatentation	

Closure Properties of VPL




	Closed?
Union	✓
Intersection	✓
Concatenation	✓
Kleene-*	

Closure Properties of VPL



	Closed?
Union	✓
Intersection	✓
Concatentation	✓
Kleene-*	✓
Complementation	

Closure Properties of VPL




	Closed?
Union	✓
Intersection	✓
Concatentation	✓
Kleene-*	✓
Complementation	✓

Determinizing VPA's

Let $M = (Q, Q_0, \Gamma, \delta, F)$ be a VPA over $\widetilde{\Sigma}$. We define a new VPA M' as follows:

- Control state is of the form (S, R) where $S \subseteq Q \times Q$ and $R \subseteq Q$.
- Stack symbols will be of the form (S, R, a) where S and R are as above, and $a \in \Sigma_c$ is a call alphabet.



Decision Procedures for VPLs

- Emptiness
- Language inclusion / equivalence
- Universality