

# Equivalence of CFG's and PDA's

Deepak D'Souza

Department of Computer Science and Automation  
Indian Institute of Science, Bangalore.

23 October 2019

# Outline

1 From CFG to PDA

2 From PDA to CFG

# CFG = PDA

Theorem (Chomsky-Evey-Schutzenberger 1962)

*The class of languages definable by Context-Free Grammars and Pushdown Automata coincide.*

# From CFG to PDA

**Leftmost** derivation: A derivation in which at each step the left-most non-terminal is rewritten.

CFG  $G_4$

$$S \rightarrow (S) \mid SS \mid \epsilon.$$

Leftmost derivation in  $G_4$ :

S

# From CFG to PDA

**Leftmost** derivation: A derivation in which at each step the left-most non-terminal is rewritten.

CFG  $G_4$

$$S \rightarrow (S) \mid SS \mid \epsilon.$$

Leftmost derivation in  $G_4$ :

$$\underline{S} \Rightarrow (\underline{S})$$

# From CFG to PDA

**Leftmost** derivation: A derivation in which at each step the left-most non-terminal is rewritten.

CFG  $G_4$

$$S \rightarrow (S) \mid SS \mid \epsilon.$$

Leftmost derivation in  $G_4$ :

$$\begin{aligned} \underline{S} &\Rightarrow (\underline{S}) \\ &\Rightarrow (\underline{SS}) \end{aligned}$$

# From CFG to PDA

**Leftmost** derivation: A derivation in which at each step the left-most non-terminal is rewritten.

CFG  $G_4$

$$S \rightarrow (S) \mid SS \mid \epsilon.$$

Leftmost derivation in  $G_4$ :

$$\begin{aligned} \underline{S} &\Rightarrow (\underline{S}) \\ &\Rightarrow (\underline{SS}) \\ &\Rightarrow (\underline{SSS}) \end{aligned}$$

# From CFG to PDA

**Leftmost** derivation: A derivation in which at each step the left-most non-terminal is rewritten.

CFG  $G_4$

$$S \rightarrow (S) \mid SS \mid \epsilon.$$

Leftmost derivation in  $G_4$ :

$$\begin{aligned} \underline{S} &\Rightarrow (\underline{S}) \\ &\Rightarrow (\underline{SS}) \\ &\Rightarrow (\underline{SSS}) \\ &\Rightarrow ((\underline{S})SS) \end{aligned}$$



# From CFG to PDA

**Leftmost** derivation: A derivation in which at each step the left-most non-terminal is rewritten.

CFG  $G_4$

$$S \rightarrow (S) \mid SS \mid \epsilon.$$

Leftmost derivation in  $G_4$ :

$$\begin{aligned} \underline{S} &\Rightarrow (\underline{S}) \\ &\Rightarrow (\underline{SS}) \\ &\Rightarrow (\underline{SSS}) \\ &\Rightarrow ((\underline{S})SS) \\ &\Rightarrow ((\underline{SS})SS) \end{aligned}$$

# From CFG to PDA

**Leftmost** derivation: A derivation in which at each step the left-most non-terminal is rewritten.

CFG  $G_4$

$$S \rightarrow (S) \mid SS \mid \epsilon.$$

Leftmost derivation in  $G_4$ :

$$\begin{aligned} \underline{S} &\Rightarrow (S) \\ &\Rightarrow (\underline{S}S) \\ &\Rightarrow (\underline{S}SS) \\ &\Rightarrow ((\underline{S})SS) \\ &\Rightarrow ((\underline{S}S)SS) \\ &\Rightarrow (((\underline{S})S)SS) \end{aligned}$$

# From CFG to PDA

**Leftmost** derivation: A derivation in which at each step the left-most non-terminal is rewritten.

CFG  $G_4$

$$S \rightarrow (S) \mid SS \mid \epsilon.$$

Leftmost derivation in  $G_4$ :

$$\begin{aligned} \underline{S} &\Rightarrow (\underline{S}) \\ &\Rightarrow (\underline{SS}) \\ &\Rightarrow (\underline{SSS}) \\ &\Rightarrow ((\underline{S})SS) \\ &\Rightarrow ((\underline{SS})SS) \\ &\Rightarrow (((\underline{S})S)SS) \\ &\Rightarrow (((())\underline{S})SS) \end{aligned}$$

# From CFG to PDA

**Leftmost** derivation: A derivation in which at each step the left-most non-terminal is rewritten.

CFG  $G_4$

$$S \rightarrow (S) \mid SS \mid \epsilon.$$

Leftmost derivation in  $G_4$ :

$$\begin{aligned} \underline{S} &\Rightarrow (\underline{S}) \\ &\Rightarrow (\underline{SS}) \\ &\Rightarrow (\underline{SSS}) \\ &\Rightarrow ((\underline{S})SS) \\ &\Rightarrow ((\underline{SS})SS) \\ &\Rightarrow (((\underline{S})S)SS) \\ &\Rightarrow (((\underline{()})S)SS) \\ &\Rightarrow (((\underline{()})S)SS) \end{aligned}$$

# From CFG to PDA

**Leftmost** derivation: A derivation in which at each step the left-most non-terminal is rewritten.

CFG  $G_4$

$$S \rightarrow (S) \mid SS \mid \epsilon.$$

Leftmost derivation in  $G_4$ :

$$\begin{aligned} \underline{S} &\Rightarrow (\underline{S}) \\ &\Rightarrow (\underline{SS}) \\ &\Rightarrow (\underline{SSS}) \\ &\Rightarrow ((\underline{S})SS) \\ &\Rightarrow ((\underline{SS})SS) \\ &\Rightarrow (((\underline{S})S)SS) \\ &\Rightarrow (((\underline{()})S)SS) \\ &\Rightarrow (((\underline{()})S)SS) \\ &\Rightarrow (((\underline{()})S)SS) \\ &\Rightarrow (((\underline{()})S)SS) \end{aligned}$$

# From CFG to PDA

**Leftmost** derivation: A derivation in which at each step the left-most non-terminal is rewritten.

CFG  $G_4$

$$S \rightarrow (S) \mid SS \mid \epsilon.$$

Leftmost derivation in  $G_4$ :

$$\begin{aligned}
 \underline{S} &\Rightarrow (\underline{S}) \\
 &\Rightarrow (\underline{SS}) \\
 &\Rightarrow (\underline{SSS}) \\
 &\Rightarrow ((\underline{S})SS) \\
 &\Rightarrow ((\underline{SS})SS) \\
 &\Rightarrow (((\underline{S})S)SS) \\
 &\Rightarrow (((\underline{()})S)SS) \\
 &\Rightarrow (((\underline{()})SS) \\
 &\Rightarrow (((\underline{()})S) \\
 &\Rightarrow (((\underline{()})()S) \\
 &\Rightarrow (((\underline{()})()S) \quad \Rightarrow \quad (((\underline{()})()).
 \end{aligned}$$

# From CFG to PDA

Let  $G = (N, A, S, P)$  be a CFG. Assume WLOG that all rules of  $G$  are of the form

$$X \rightarrow cB_1B_2 \cdots B_k$$

where  $c \in A \cup \{\epsilon\}$  and  $k \geq 0$ .


- Idea: Define a PDA  $M$  that simulates a leftmost derivation of  $G$ .
- Define  $M = (\{s\}, A, N, s, \delta, S)$  where  $\delta$  is given by:

$$(s, c, X) \rightarrow (s, B_1B_2 \cdots B_k),$$

whenever  $X \rightarrow cB_1B_2 \cdots B_k$  is a production in  $G$ .

## CFG to PDA

$b a a X Y X X Z$

Leftmost sentential form of  $G$ Corresponding configuration of  $M$



# Exercise

Construct a PDA for the CFG below.

CFG  $G_4$

$$S \rightarrow (S) \mid SS \mid \epsilon.$$

Simulate it on the input “((( )))”.

# From PDA to CFG

Given a PDA  $M$ , how would you construct an “equivalent” context-free grammar from  $M$ ?

# From PDA to CFG


Given a PDA  $M$ , how would you construct an “equivalent” context-free grammar from  $M$ ?

One approach:

- First show that we can go over to a PDA  $M'$  with a **single** state.
- Then simulate  $M'$  by a CFG.

# Simulating a single-state PDA by a CFG

If:




Then: add the rule  $X \rightarrow aY_1Y_2 \cdots Y_k$  in  $G$ .

In particular, if  $(s, c, \perp) \rightarrow (s, \alpha)$  we add  $S \rightarrow c\alpha$  in  $G$ .

Start symbol?

# Simulating a single-state PDA by a CFG

If:



Then: add the rule  $X \rightarrow aY_1Y_2 \cdots Y_k$  in  $G$ .

In particular, if  $(s, c, \perp) \rightarrow (s, \alpha)$  we add  $S \rightarrow c\alpha$  in  $G$ .

Start symbol?  $\perp$ .

# From PDA to single-state PDA

- Let  $M = (Q, A, \Gamma, s, \delta, \perp, \{t\})$  be the given PDA which WLOG accepts by final state  $t$  and can empty its stack in  $t$ .
- Define  $M' = (\{u\}, A, Q \times \Gamma \times Q, u, \delta', (s, \perp, t), \emptyset)$ , which accepts by empty stack and where  $\delta'$  is given by

$$(u, c, (p, A, r)) \rightarrow (u, (q_0 B_1 q_1)(q_1 B_2 q_2) \cdots (q_{k-1} B_k q_k))$$

whenever  $(p, c, A) \rightarrow (q, (B_1 B_2 \cdots B_k))$  is a transition of  $M$ , and  $q_0 = q$  and  $q_k = r$ . In particular:

$$(u, c, (p, A, q)) \rightarrow (u, \epsilon)$$

if  $(p, c, A) \rightarrow (q, \epsilon)$  is a transition of  $M$ .

# Example to illustrate construction

Example PDA (acceptance by final state  $t$ ) for  
 $\{a^n b^n \mid n \geq 1\} \cup \{a^n c^n \mid n \geq 1\}$

$$(s, a, \perp) \rightarrow (p, A\perp)$$
$$(p, a, A) \rightarrow (p, AA)$$
$$(p, b, A) \rightarrow (q, \epsilon).$$
$$(p, c, A) \rightarrow (r, \epsilon).$$
$$(q, b, A) \rightarrow (q, \epsilon).$$
$$(r, c, A) \rightarrow (r, \epsilon).$$
$$(q, b, \perp) \rightarrow (t, \epsilon).$$
$$(r, c, \perp) \rightarrow (t, \epsilon).$$
$$(t, -, -) \rightarrow (t, \epsilon).$$

# Correctness of construction

To show that  $L(M') = L(M)$ , sufficient to show that:

## Claim 1

In  $M$ ,  $(s, x, A) \xRightarrow{*} (t, \epsilon, \epsilon)$  iff in  $M'$   $(u, x, (s, A, t)) \xRightarrow{*} (u, \epsilon, \epsilon)$ .

For this in turn, it is sufficient to show that:

## Claim 2

$(p, x, B_1 B_2 \dots B_k) \xRightarrow{n} (q, \epsilon, \epsilon)$  in  $M$  iff exists  $q_0, \dots, q_k$  such that  
 $q_0 = p$ ,  $q_k = q$ , and  
 $(u, x, (\langle q_0 B_1 q_1 \rangle \langle q_1 B_2 q_2 \rangle \dots \langle q_{k-1} B_k q_k \rangle)) \xRightarrow{n} (u, \epsilon, \epsilon)$

Proof is easy by induction on  $n$ .