▲ロト ▲帰 ト ▲ ヨ ト ▲ ヨ ト ・ ヨ ・ の Q ()

Pumping Lemma and Ultimate Periodicity

Deepak D'Souza

Department of Computer Science and Automation Indian Institute of Science, Bangalore.

9 October 2018

Outline







▲ロト ▲帰 ト ▲ ヨ ト ▲ ヨ ト ・ ヨ ・ の Q ()

Two necessary conditions for regularity

- Pumping Lemma: Any "long enough" word in a regular language must have a "pump."
- Lengths of words in a regular language are "ultimately periodic."

- 日本 - 1 日本 - 1 日本 - 1 日本

Pumping lemma for regular languages

Based on a simple observation:

In a given a DFA A, if a path p in it is longer than the number of states in A then p must have a loop in it.



So if uvw is accepted along this path, then so is uw, uv^2w ,

(日)、(四)、(E)、(E)、(E)

Pumping lemma statement

Pumping Lemma

For any regular language *L* there exists a constant *k*, such that for any word $t \in L$ of the form *xyz* with $|y| \ge k$, there exist strings *u*, *v*, *w* such that:

2)
$$xuv^i wz \in L$$
, for each $i \ge 0$.

◆□▶ ◆□▶ ◆三▶ ◆三▶ 三三 のへぐ

Game induced by a langauage L

A play in G_L :

Demon	You
Provides a k .	
	Choose $t \in L$, with
	decomposition x, y, z ,
	and $ y \ge k$.
Provides decomposition of	
y into uvw , with $v \neq \epsilon$.	
	Choose $i \ge 0$.

Demon wins the play if $xuv^i wz \in L$, otherwise You win.

Game induced by a langauage L

A play in G_L :

Demon	You
Provides a <i>k</i> .	
	Choose $t \in L$, with
	decomposition x, y, z ,
	and $ y \geq k$.
Provides decomposition of	
y into uvw , with $v \neq \epsilon$.	
	Choose $i \ge 0$.

Demon wins the play if $xuv^i wz \in L$, otherwise You win.

- If L is regular then Demon has a winning strategy in G_L .
- Equivalently: If You have a winning strategy in G_L , then L is not regular.

◆□▶ ◆□▶ ◆三▶ ◆三▶ 三三 のへぐ

Pumping Lemma is not a sufficient condition for regularity

• There exist non-regular languages L for which the Demon has a winning strategy in G_L .

◆□▶ ◆□▶ ◆臣▶ ◆臣▶ 臣 の�?

Example applications of Pumping Lemma

Describe Your strategy to beat the Demon in the games for:

•
$$\{a^nb^n \mid n \ge 0\}.$$

•
$$\{a^{2^n} \mid n \ge 0\}.$$

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > <

Two problems to think about

- If $L \subseteq \{a\}^*$, show that L^* is regular.
- Show that there exists a language $L \subseteq A^*$ such that neither L nor its complement $A^* L$ contains an infinite regular set.

▲ロト ▲帰 ト ▲ ヨ ト ▲ ヨ ト ・ ヨ ・ の Q ()

Ultimately periodic sets



A subset X of \mathbb{N} is ultimately periodic if

• There exist $n_0 \ge 0$, $p \ge 1$ in \mathbb{N} , such that for all $m \ge n_0$,

 $m \in X$ iff $m + p \in X$.

Ultimately periodic sets



A subset X of \mathbb{N} is ultimately periodic if

• There exist $n_0 \ge 0$, $p \ge 1$ in \mathbb{N} , such that for all $m \ge n_0$,

 $m \in X$ iff $m + p \in X$.

• Or equivalently: There exist $n_0 \ge 0$, $p \ge 1$ in \mathbb{N} , such that for all $m \ge n_0$,

$$m \in X \implies m + p \in X.$$

Ultimately periodic sets



A subset X of \mathbb{N} is ultimately periodic if

• There exist $n_0 \ge 0$, $p \ge 1$ in \mathbb{N} , such that for all $m \ge n_0$,

 $m \in X$ iff $m + p \in X$.

• Or equivalently: There exist $n_0 \geq 0$, $p \geq 1$ in \mathbb{N} , such that for all $m \geq n_0$,

$$m \in X \implies m + p \in X.$$

• Or equivalently: $X = F \cup A_1 \cup \cdots \cup A_k$, for some finite set F and arithmetic progressions A_i of same period p.

◆□▶ ◆□▶ ◆臣▶ ◆臣▶ 臣 のへぐ

Examples of u.p. sets

• {10, 12, 14, 16, ...} is u.p.

◆□▶ ◆□▶ ◆臣▶ ◆臣▶ 臣 のへぐ

Examples of u.p. sets

- $\{10, 12, 14, 16, \ldots\}$ is u.p.
- $\{10, 12, 14, 16, \ldots\} \cup \{5, 10, 15, \ldots\}$ is u.p.

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > <

Examples of u.p. sets

- $\{10, 12, 14, 16, \ldots\}$ is u.p.
- $\{10, 12, 14, 16, \ldots\} \cup \{5, 10, 15, \ldots\}$ is u.p.
- {0, 2, 4, 8, 16, 32, ...} is *not* u.p.

Ultimate Periodicity of Regular Languages

Claim

If L is a regular language then lengths(L) is an ultimately periodic set.

Proof:

- Argue for language over single-letter alphabet.
- Infer for general language.

◆□▶ ◆□▶ ◆臣▶ ◆臣▶ 臣 のへぐ

What does a DFA on single-letter alphabet look like?

・ロト ・ 理 ト ・ ヨ ト ・ ヨ ト

э

What does a DFA on single-letter alphabet look like?



 $lengths(L(\mathcal{A})) = \{2\} \cup \{5, 11, 17, \ldots\} \cup \{8, 14, 20, \ldots\}.$