

# More undecidable problems

Deepak D'Souza

Department of Computer Science and Automation  
Indian Institute of Science, Bangalore.

18 November 2021

# Outline

- 1 More problems about Turing Machines

# More decidable/undecidable problems

## Problem (a)

Is it decidable whether a given Turing machine has at least 481 states? Assume that the TM is given using the encoding below:

$$0^n 10^m 10^k 10^s 10^t 10^r 10^u 10^v \ 1 \ 0^p 10^a 10^q 10^b 10 \ 1 \ 0^{p'} 10^{a'} 10^{q'} 10^{b'} 100 \ \dots \ 1 \ 0^{p''} 10^{a''} 10^{q''} 10^{b''} 10.$$

00010000100101001000100010000 1 010001010000100 1 0100100100100 1 010101010.

# More decidable/undecidable problems

## Problem (a)

Is it decidable whether a given Turing machine has at least 481 states? Assume that the TM is given using the encoding below:

$$0^n 10^m 10^k 10^s 10^t 10^r 10^u 10^v \ 1 \ 0^p 10^a 10^q 10^b 10 \ 1 \ 0^{p'} 10^{a'} 10^{q'} 10^{b'} 100 \ \dots \ 1 \ 0^{p''} 10^{a''} 10^{q''} 10^{b''} 10.$$

00010000100101001000100010000 1 01000101000100 1 0100100100100 1 010101010.

Yes, it is.

We can give a TM  $N$  which given  $enc(M)$

- Counts the number of states in  $M$  upto 481.
- Accepts if it reaches 481, rejects otherwise.

# More decidable/undecidable problems

## Problem (b)

Is it decidable whether a given Turing machine takes more than 481 steps on input  $\epsilon$  without halting?

00010000100101001000100010000 1 01000101000100 1 0100100100100 1 010101010.

# More decidable/undecidable problems

## Problem (b)

Is it decidable whether a given Turing machine takes more than 481 steps on input  $\epsilon$  without halting?

00010000100101001000100010000 1 01000101000100 1 0100100100100 1 010101010.

Yes, it is.

We can give a TM  $N$  which given  $enc(M)$

- Uses 4 tapes: On the 4th tape it writes 481 0's.
- Uses the first 3 tapes to simulate  $M$  on input  $\epsilon$ , like the universal TM  $U$ .
- Blanks out a 0 from 4th tape for each 1-step simulation done by  $U$ .
- Rejects if  $M$  halts before all 0's are blanked out on 4th tape, accepts otherwise.

# More decidable/undecidable problems

## Problem (c)

Is it decidable whether a given Turing machine takes more than 481 steps on *some* input without halting?

00010000100101001000100010000 1 01000101000100 1 0100100100100 1 010101010.

# More decidable/undecidable problems


## Problem (c)

Is it decidable whether a given Turing machine takes more than 481 steps on *some* input without halting?

00010000100101001000100010000 1 01000101000100 1 0100100100100 1 010101010.

Yes, it is.

Check if  $M$  runs for more than 481 steps on some input  $x$  of length upto 481. If so accept, else reject.



# More decidable/undecidable problems

## Problem (d)

Is it decidable whether a given Turing machine takes more than 481 steps on *all* inputs without halting?

00010000100101001000100010000 1 010001010000100 1 0100100100100 1 010101010.

## More decidable/undecidable problems


### Problem (d)

Is it decidable whether a given Turing machine takes more than 481 steps on *all* inputs without halting?

00010000100101001000100010000 1 01000101000100 1 0100100100100 1 010101010.

Yes, it is.

Check if  $M$  runs for more than 481 steps on each input  $x$  of length upto 481. If so accept, else reject.



# More decidable/undecidable problems

## Problem (e)

Is it decidable whether a given Turing machine moves its head more than 481 cells away from the left-end marker, on input  $\epsilon$ ?

00010000100101001000100010000 1 01000101000100 1 0100100100100 1 010101010.

# More decidable/undecidable problems


## Problem (e)

Is it decidable whether a given Turing machine moves its head more than 481 cells away from the left-end marker, on input  $\epsilon$ ?

00010000100101001000100010000 1 01000101000100 1 0100100100100 1 010101010.

Yes, it is.

Simulate  $M$  on  $\epsilon$  for upto  $m^{481} \cdot 482 \cdot k + 1$  steps. If  $M$  visits the 482nd cell, accept, else reject.



# More decidable/undecidable problems

## Problem (f)

Is it decidable whether a given Turing machine accepts the null-string  $\epsilon$ ?

# More decidable/undecidable problems

## Problem (f)

Is it decidable whether a given Turing machine accepts the null-string  $\epsilon$ ?

No.

If it were decidable, say by a TM  $N$ , then we could use  $N$  to decide HP as follows: Define a new machine  $N'$  which given input  $M\#x$ , outputs the description of a machine  $M'_{M,x}$  which:

- erases its input
- writes  $x$  on its input tape
- Behaves like  $M$  on  $x$
- Accepts if  $M$  halts on  $x$ .

$N'$  then calls  $N$  with input  $M'_{M,x}$ .

$N$  accepts  $M'_{M,x}$  iff  $M'_{M,x}$  accepts  $\epsilon$  iff  $M$  halts on  $x$ .

Turing machine  $M'$  for Problem (f)

$$L(M'_{M,x}) = \begin{cases} A^* & \text{if } M \text{ halts on } x \\ \emptyset & \text{if } M \text{ does not halt on } x. \end{cases}$$

# More decidable/undecidable problems

## Problem (g)

Is it decidable whether a given Turing machine accepts any string at all? That is, is  $L(M) \neq \emptyset$ ?

# More decidable/undecidable problems

## Problem (h)

Is it decidable whether a given Turing machine accepts all strings?  
That is, is  $L(M) = A^*$ ?

## More decidable/undecidable problems

### Problem (i)

Is it decidable whether a given Turing machine accepts a finite set?

## More decidable/undecidable problems

### Problem (j)

Is it decidable whether a given Turing machine accepts a regular set?

# More decidable/undecidable problems

## Problem (j)

Is it decidable whether a given Turing machine accepts a regular set?

Given  $M$  and  $x$ , build a new machine  $M'$  that behaves as follows:

- ① Saves its input  $y$  on tape 2.
- ② writes  $x$  on tape 1.
- ③ runs as  $M$  on  $x$ .
- ④ if  $M$  gets into a halting state, then
  - $M'$  takes back control,
  - Runs as  $M_{NR}$  on  $y$ ,
  - (Here  $M_{NR}$  is any TM that accepts a non-regular language  $NR$ , say  $NR = \{a^n b^n \mid n \geq 0\}$ ).
  - $M'$  accepts iff  $M_{NR}$  accepts.

Turing machine  $M'$  for Problem (j)

$$L(M') = \begin{cases} NR & \text{if } M \text{ halts on } x \\ \emptyset & \text{if } M \text{ does not halt on } x. \end{cases}$$

## More decidable/undecidable problems

### Problem (k)

Is it decidable whether a given Turing machine accepts a CFL?

## More decidable/undecidable problems

### Problem (I)

Is it decidable whether a given Turing machine accepts a recursive set?